

BOILER CHEMICALS

High fuel costs, pricey tube repairs, boiler downtime, and associated output loss can all be avoided by putting the right treatment in place before problems like scale and corrosion start to arise.



ANTISCALENTS

A wide range of antiscalents help in preventing the formation of scale within the boiler drum by selecting the right product.

OXYGEN SCAVENGERS

We have a range that covers low to high pressure boiler oxygen scavengers that help in controlling oxygen induced corrosion

PH BOOSTERS

All ranges of pH boosters available can be selected based on the boiler types and source feed water source

COOLING WATER CHEMICALS

A sustainable cooling tower water treatment eliminates biological fouling and corrosion, reduces scaling and sediment deposition, and extends the life of the plant and equipment. The state of the art design of treatment can also help in energy and water conservation



CORROSION INHIBITORS

Mild steel, Cu and their alloy corrosion inhibitors protect equipment in open and closed re-circulating cooling water systems with anodic and/or cathodic protection

SCALE INHIBITORS

High hardness in water, high COC, high pH, and alkalinity lead to scaling in heat transfer equipment. We have all the ranges of scale inhibitors that protect the system from scaling

DISPERSENT

Dispersant is the heart of any critical cooling tower system. It protects systems from fouling or deposition by the advanced polymeric properties of the dispersant

BIO DISPERSANT

The heart exchanger's slime buildup is removed by this treatment, keeping the heat transfer surfaces clear. It enhances both oxidizing and non-oxidizing biocides' efficacy

NON-OXIDIZING BIOCIDE

Biocide and algaecide that work quickly in water cooling towers, air washers, pasteurizers, and other re-circulating water systems. It is effective at a wide range of pH.

RO CHEMICALS

RO systems need to be properly maintained in order to prevent scaling and fouling, to maximise water output, and to lengthen the life of the membranes. RO membrane and plant performance can be enhanced with the thoughtful selection and application of contemporary treatment chemicals, particularly for hard water and high silica water



MEMBRANE ANTISCALANT

Memberaneantiscalent eliminates scale and fouling in a wide range of water sources, including brackish, sewage, and seawater

ACIDIC CLEANERS

Maintains system performance and product water quality at a higher level

ALKALINE CLEANERS

Alkaline cleaning is a common approach for eliminating a wide range of soils from metal surfaces.

BIO-CLEANER

Bio-cleaning is a deep clean undertaken in order to eradicate diseases and harmful pollutants

ALKALINITY REDUCER

This product is used to reduce excess alkalinity in the RO feed water to prevent scale in membranes and maintain product flow as per design

ALKALINITY BOOSTER

Our Alkalinity Booster increases overall alkalinity to a safe level and makes it simpler to transfer low-corrosive water to the end point

WASTEWATER TREATMENT

An ETP is the process of purifying industrial wastewater for reuse or safe disposal in the environment (Effluent Treatment Plant). The wastewater produced by various companies must be treated before it is discharged into the environment. A variety of coagulants To separate solids from liquids in ETP, flocculants are used.



ORGANIC COAGULANT

The coagulant has excellent performance qualities and is suited for the treatment of raw water and industrial wastewater. This contributes to a reduction in the sludge burden.

COLOUR REMOVAL

Organic colour removal chemical that works well in industrial coloured effluent such as textile mills, paper mills, and so on, producing less sludge than typical lime and DeSo4 treatment for small mills

DWPE

The dewatering polyelectrolyte range includes low molecular weight powder and cationic grade dewatering polyelectrolytes used for organic sludge dewatering and compaction

FLOCCULANT (ANIONIC & CATIONIC)

Anionic flocculant used in primary clarifying and sludge dewatering to separate suspended materials. Cationic flocculants are used in primary and secondary clarity processes, as well as sludge dewatering in smaller systems.

DEFOAMER

COMMODITY CHEMICALS AND LAB REAGENTS

Poly Aluminum Chloride (Spent PAC, Powder PAC, PAC10, PAC 14 & PAC18)

Alum (Ferrous & Non-Ferrous)

Sodium Hypo Chloride

SMBS

Lime

Calcium Chloride

Soda Ash

FeCl3(Powder & Liquid)

HCL

H2S04

Na_OH

Tri Sodium Phosphate (Anhydrous & Range of Hydrous)



WATER TREATMENT PLANTS AND COMPONENTS

WATER TREATMENT PLANTS AND COMPONENTS

RO PLANT

The scope of this application has been continually expanding Since invented. It's demands increases in industry to conserve water, energy consumption, Control pollution and reclaim useful materials from waste streams have made new application economically attractive

WTP

A water treatment plant is a place to which wastewater (water that is no longer suited for its current use) is directed after it exits homes and businesses via sewage/effluent pipes

STP

A sewage treatment plant, often known as a STP plant, is used to remove impurities from waste water. Physical, chemical, and organic processes are used to remove physical, chemical, and biological pollutants

SOFTENER

Water softening is the removal of calcium, magnesium, and sometimes iron ions from water.


Water softening eliminates the harmful minerals from the water in this manner.

CHEMICAL DOSING SYSTEM -

Chemical dosing system is designed to inject chemicals into the chemical water treatment plant. It can be designed to dose manually or with automation based on the need and severity of the systems. Systems consist of pumps, online sensors and dosing tanks.

AUTOMATION SYSTEM

Automation system is a control method in which chemicals are being fed to the dosing point by the rate presetted based on the water chemistry by online parameter measured by installed meters. It will minimise the need of human resources and results can be viewed on handsets too.





O-705, Ganesh Glory 11, Jagatpur Rennament BSNL Office, S.G. Highway, Ahmedabad-382470